Port of Eden
Arrival Passage Plan – Eden Cruise Wharf

Disclaimer:

The information and documentation supplied on or through this web page, including the passage plans and route information, is guidance material only. Port Authority of New South Wales is not in any way responsible for the accuracy, adequacy, suitability or completeness of such information or documentation and will not be responsible for, nor liable upon any claim arising out of or in connection with, any person's use or reliance on the information or documentation. Passage plans for a vessel must be verified by the vessel master and confirmed with the relevant Port Authority marine pilot prior to the commencement of the pilotage.

Waypoint Table

WP	Name	Lat		Long		Course	Distance	Turn Radius	Max XTD	
		Deg	Min	Deg	Min			NM	Port	Starboard
0	Pilot Boarding Ground	37 °	04.339' S	149 °	57.802' E	248°T	2.0'	N/A	400 m	400 m
1	Waypoint 2	37 °	05.080' S	149 °	55.451' E	270°T	1.1'	0.3'	200 m	200 m
2	Waypoint 3	37 °	05.080' S	149 °	54.071' E	000°T	0.5'	0.3'	100 m	100 m
3	Waypoint 4	37 °	04.619' S	149 °	54.071' E	050°T	0.2'	0.2'	50 m	50 m
4	Waypoint 5	37 °	04.484’ S	149 °	54.276’ E	064°T	0.1’	0.2’	25 m	25 m
5	Berth	37 °	04.420' S	149 °	54.444' E					

Total	3.9'

Pilot Boarding

- Pilot will call on VHF 08 to confirm which side Pilot Ladder
- Pilot ladder to be rigged to IMO standards 1.5m above the waterline, 2 x Man Ropes
- Engines to be tested astern prior to pilot boarding
- Anchors ready for emergency use
- Boarding Speed will be approx. 7knots
- Vessel to maintain boarding speed until Pilot is on the bridge
- All vessels berth Stbd Side Too

Notes Line of Berth 061°/241°
Vessel’s bow is not east of -70m mark
Declared Depth 10.5m

Under NSW Marine Safety Act – Control of vessel can be transferred to ship’s staff but Conduct of vessel remains with pilot at all times.

Pilot Boarding to Waypoint 2

Course	Max Speed	Distance	Max XTD to Port	Max XTD to Starboard	ROT (WP1)	8 knots	6 knots
248°T	8 knots	2.0’	400m	400m		16° / min	12° / min



Waypoint 2 to Waypoint 3

Course	Max Speed	Distance	Max XTD to Port	Max XTD to Starboard	ROT(WP2)	6 knots	5 knots
270°T	6 knots	1.1’	200m	200m		12° / min	10° / min



Waypoint 3 to Waypoint 4

Course	Max Speed	Distance	Max XTD to Port	Max XTD to Starboard	ROT(WP3)	4 knots	3 knots
000°T	4 knots	0.5’	100m	100m		16° / min	12° / min



Waypoint 4 to Waypoint 5

Course	Max Speed	Distance	Max XTD to Port	Max XTD to Starboard
050°T	2 knots	0.2’	50m	50m



Waypoint 5 to Berth

Course	Max Speed	Distance	Max XTD to Port	Max XTD to Starboard
064°T	2 knots	0.1’	25m	25m




AIS
HDOP: -
1.1 kn
SOG
-0.1 °/min
ROT
062.1°
HDG + 0.0°
064.7°
COG
0.3 NM
F.G1M
SAXON ONWARD
WALAN
EW KATIA
WP5
ETA
Leg Length 0.1 NM
Leg Bearing 64 °
No Anchoring
COOMA
Cruise Wharf
Fl.G.10s5M
Oc.3s5M
Obstn
7 m